

## Data Ruangan kuliah

| NO | RUANG KELAS |                             | Fasilitas      |                    |                 |             |            |                    |                   |           | Luas m2 |
|----|-------------|-----------------------------|----------------|--------------------|-----------------|-------------|------------|--------------------|-------------------|-----------|---------|
|    |             |                             | Kursi Permanen | Kursi Non Permanen | Kapasitas Kelas | Kursi Dosen | Meja Dosen | Papan Tulis Spidol | Papan Tulis Kapur | Proyektor |         |
| 1  | 9009        | LFM                         | 56             |                    | 180             |             |            |                    |                   | 2         | 235.37  |
| 2  | Bsc A       | Basic Science A Lantai IV   |                | 143                | 143             | 3           | 3          | 1                  | 2                 | 1         | 327.25  |
| 3  | 9011        | Labtek VIII Lt. II          |                | 46                 | 46              | 1           | 1          |                    | 1                 | 1         | 36.48   |
| 4  | 9015        | Labtek VIII Lt. II          |                | 70                 | 70              | 1           | 1          |                    | 1                 | 1         | 109.44  |
| 5  | 9012        | Labtek VII                  |                | 250                | 250             | 2           | 1          |                    | 2                 | 1         | 175.77  |
| 6  | 9013        | Labtek VII                  |                | 88                 | 88              | 1           | 2          |                    | 1                 | 1         | 79.08   |
| 7  | 9014        | Labtek VII                  |                | 53                 | 53              | 1           | 1          |                    | 1                 | 1         | 42.89   |
| 8  | 9016        | Oktagon Lt. I               | 116            |                    | 116             | 1           | 1          |                    | 1                 | 1         | 106.1   |
| 9  | 9017        | Oktagon Lt. I               | 116            |                    | 116             | 1           | 1          |                    | 1                 | 1         | 106.1   |
| 10 | 9018        | Oktagon Lt. I               | 116            |                    | 116             | 1           | 1          |                    | 1                 | 1         | 106.1   |
| 11 | 9019        | Oktagon Lt. II              | 218            |                    | 218             | 1           | 1          |                    | 1                 | 1         | 155.09  |
| 12 | 9020        | Oktagon Lt. II (MULTIMEDIA) | 213            |                    | 213             | 1           | 1          | 1                  |                   | 1         | 155.09  |
| 13 | 9021        | Oktagon Lt. II              | 218            |                    | 218             | 1           | 1          |                    | 1                 | 1         | 155.09  |
| 14 | 9025        | Oktagon Lt. II              |                | 66                 | 66              | 1           | 1          |                    | 1                 | 1         | 59.8    |
| 15 | 9026        | Oktagon Lt. II              |                | 73                 | 73              | 1           | 1          |                    | 1                 | 1         | 59.8    |
| 16 | 9027        | Oktagon Lt. II              |                | 56                 | 56              | 1           | 1          |                    | 1                 | 1         | 46.44   |
| 17 | 9022        | TVST Lt. I                  | 108            |                    | 108             | 2           | 1          |                    | 1                 | 1         | 100.42  |

|    |        |                             |     |    |     |   |   |   |   |   |        |
|----|--------|-----------------------------|-----|----|-----|---|---|---|---|---|--------|
| 18 | 9023   | TVST Lt. I                  | 108 |    | 108 | 2 | 1 |   | 1 | 1 | 100.42 |
| 19 | 9024   | TVST Lt. I                  | 108 |    | 108 | 2 | 1 |   | 1 | 1 | 100.42 |
| 20 | Tvst A | TVST Lt. II                 | 130 |    | 130 | 2 | 1 | 1 |   | 1 | 158.66 |
| 21 | Tvst B | TVST Lt. II<br>(MULTIMEDIA) | 225 |    | 225 | 2 | 1 | 1 |   | 1 | 158.66 |
| 22 | Tvst C | TVST Lt. II                 | 225 |    | 225 | 2 | 1 |   | 1 | 1 | 158.66 |
| 23 | 9103   | GKU Barat Lt.<br>1          | 98  | 13 | 111 |   |   |   |   | 1 | 97.77  |
| 24 | 9104   | GKU Barat Lt.<br>1          | 98  | 17 | 115 |   |   |   |   | 1 | 97.77  |
| 25 | 9107   | GKU Barat Lt.<br>1          | 98  | 13 | 111 |   |   |   |   | 1 | 97.77  |
| 26 | 9108   | GKU Barat Lt.<br>1          | 98  | 12 | 110 |   |   |   |   | 1 | 97.77  |
| 27 | 9114   | GKU Barat Lt.<br>2          |     | 36 | 36  | 1 | 1 | 1 |   | 1 | 41.6   |
| 28 | 9115   | GKU Barat Lt.<br>2          |     | 28 | 28  |   |   |   |   | 1 | 26.6   |
| 29 | 9121   | GKU Barat Lt.<br>2          | 98  | 17 | 115 |   |   |   |   | 1 | 97.77  |
| 30 | 9122   | GKU Barat Lt.<br>2          | 98  | 17 | 115 |   |   |   |   | 1 | 97.77  |
| 31 | 9123   | GKU Barat Lt.<br>2          | 98  | 15 | 113 |   |   |   |   | 1 | 97.77  |
| 32 | 9124   | GKU Barat Lt.<br>2          | 98  | 17 | 115 |   |   |   |   | 1 | 97.77  |
| 33 | 9125   | GKU Barat Lt.<br>2          | 98  | 14 | 112 | 2 | 1 |   | 3 | 1 | 97.77  |
| 34 | 9126   | GKU Barat Lt.<br>2          | 98  | 18 | 116 | 2 | 1 |   | 3 | 1 | 97.77  |
| 35 | 9127   | GKU Barat Lt.<br>2          | 98  | 15 | 113 |   |   |   |   | 1 | 97.77  |
| 36 | 9128   | GKU Barat Lt.<br>2          | 98  | 19 | 117 |   |   |   |   | 1 | 97.77  |
| 37 | 9131   | GKU Barat Lt.<br>3          | 98  | 18 | 116 |   |   |   |   | 1 | 97.77  |
| 38 | 9132   | GKU Barat Lt.<br>3          | 98  | 19 | 117 |   |   |   |   | 1 | 97.77  |

|    |      |                               |     |     |     |   |   |   |   |   |       |
|----|------|-------------------------------|-----|-----|-----|---|---|---|---|---|-------|
| 39 | 9133 | GKU Barat Lt. 3               | 98  | 17  | 115 |   |   |   |   | 1 | 97.77 |
| 40 | 9134 | GKU Barat Lt. 3               | 98  | 21  | 119 |   |   |   |   | 1 | 97.77 |
| 41 | 9135 | GKU Barat Lt. 3               | 98  | 19  | 117 |   |   |   |   | 1 | 97.77 |
| 42 | 9136 | GKU Barat Lt. 3               | 98  | 15  | 113 |   |   |   |   | 1 | 97.77 |
| 43 | 9137 | GKU Barat Lt. 3               | 98  | 16  | 114 |   |   |   |   | 1 | 97.77 |
| 44 | 9138 | GKU Barat Lt. 3               | 98  | 13  | 111 | 2 | 1 |   | 3 | 1 | 97.77 |
| 45 | 9212 | GKU Timur Lt. II              | 99  | 9   | 108 | 2 | 1 |   | 3 | 1 | 124   |
| 46 | 9213 | GKU Timur Lt. II              | 99  | 18  | 117 | 1 | 1 |   | 3 | 1 | 127   |
| 47 | 9214 | GKU Timur Lt. II              | 99  |     | 99  | 1 | 1 |   | 3 | 1 | 127   |
| 48 | 9221 | GKU Timur Lt. III             | 99  | 8   | 107 | 1 | 1 |   | 3 | 1 | 124   |
| 49 | 9222 | GKU Timur Lt. III             | 99  | 16  | 115 | 1 | 1 |   | 3 | 1 | 124   |
| 50 | 9223 | GKU Timur Lt. III             | 99  | 9   | 108 | 2 | 1 |   | 1 | 1 | 127   |
| 51 | 9224 | GKU Timur Lt. III             | 99  |     | 99  | 1 | 1 |   | 3 | 1 | 127   |
| 52 | 9225 | GKU Timur Lt. III             |     | 50  | 50  | 1 | 1 |   | 1 | 1 | 20.7  |
| 53 | 9226 | GKU Timur Lt. III             |     | 50  | 50  | 1 | 1 |   | 1 | 1 | 20.7  |
| 54 | 9231 | GKU Timur Lt. IV (MULTIMEDIA) | 299 | 50  | 349 | 4 | 2 | 3 |   | 3 | 400   |
| 55 | 9232 | GKU Timur Lt. IV              | 299 | 50  | 349 | 4 | 2 |   | 2 | 3 | 414   |
| 56 | 9233 | GKU Timur Lt. IV              |     | 60  | 60  | 1 | 1 |   | 1 | 1 | 42.78 |
| 57 | 9234 | GKU Timur Lt. IV              |     | 60  | 60  | 2 | 1 |   | 1 | 1 | 42.78 |
| 58 | 9301 | Lab.Tek V                     |     | 111 | 111 | 1 | 1 |   | 1 | 1 | 77.95 |
| 59 | 9302 | Lab.Tek V                     |     | 124 | 124 | 1 | 1 |   | 1 | 1 | 91.05 |

|    |                  |                |  |     |     |   |   |   |   |   |       |
|----|------------------|----------------|--|-----|-----|---|---|---|---|---|-------|
| 60 | 9303             | Lab.Tek V      |  | 63  | 63  | 1 | 1 |   | 1 | 1 | 51.5  |
| 61 | 9304             | Lab.Tek V      |  | 67  | 67  | 1 | 1 |   | 1 | 1 | 51.5  |
| 62 | 9305             | Lab.Tek V      |  | 55  | 55  | 1 | 1 |   | 1 | 1 | 38.22 |
| 63 | 9306             | Lab.Tek V      |  | 71  | 71  | 1 | 1 |   | 1 | 1 | 104.4 |
| 64 | 9307             | Lab.Tek VI     |  | 112 | 112 | 1 | 1 |   | 1 | 1 | 77.95 |
| 65 | 9308             | Lab.Tek VI     |  | 110 | 110 | 1 | 1 |   | 1 | 1 | 77.95 |
| 66 | 9309             | Lab.Tek VI     |  | 123 | 123 | 1 | 1 |   | 1 | 1 | 77.73 |
| 67 | 9312             | Lab.Tek VI     |  | 67  | 67  | 1 | 1 |   | 1 | 1 | 51.57 |
| 68 | 9313             | Lab.Tek VI     |  | 70  | 70  | 1 | 1 |   | 1 | 1 | 51.57 |
| 69 | 9314             | Lab.Tek VI     |  | 65  | 65  | 1 | 1 |   | 1 | 1 | 51.57 |
| 70 | 9315             | Lab.Tek V      |  | 33  | 33  | 1 | 1 | 1 |   | 1 | 25.31 |
| 71 | 9316             | Lab.Tek VI     |  | 67  | 67  | 1 | 1 |   | 1 | 1 | 51.57 |
| 72 | CADL<br>9531     | CADL Lt. 2     |  | 37  | 37  | 1 | 1 | 1 |   | 1 | 57.75 |
| 73 | CADL<br>9532     | CADL Lt. 2     |  | 33  | 33  | 1 | 1 | 1 |   | 1 | 57.75 |
| 74 | CADL<br>9533     | CADL Lt. 2     |  | 18  | 18  | 1 | 1 | 1 |   | 1 | 38.5  |
| 75 | CAS<br>9521      | CAS Lt. 3      |  | 28  | 28  | 2 | 1 | 1 |   | 1 | 48.6  |
| 76 | CAS<br>9522      | CAS Lt. 3      |  | 28  | 28  | 2 | 1 | 1 |   | 1 | 48.6  |
| 77 | Labtek<br>I 9401 | Labtek I Lt. 3 |  | 120 | 120 | 1 | 1 | 3 | 3 | 1 | 196   |
| 78 | Labtek<br>I 9402 | Labtek I Lt. 3 |  | 103 | 103 | 1 | 1 | 3 | 3 | 1 | 172.3 |
| 79 | Labtek<br>I 9403 | Labtek I Lt. 3 |  | 120 | 120 | 1 | 1 | 3 | 3 | 1 | 172.3 |
| 80 | Labtek<br>I 9404 | Labtek I Lt. 3 |  | 130 | 130 | 1 | 1 | 3 | 3 | 1 | 172.3 |

|    |                  |                |  |     |     |   |   |   |   |   |        |
|----|------------------|----------------|--|-----|-----|---|---|---|---|---|--------|
| 81 | Labtek<br>I 9405 | Labtek I Lt. 3 |  | 130 | 130 | 1 | 1 | 3 | 3 | 1 | 137.16 |
| 82 | Labtek<br>I 9406 | Labtek I Lt. 3 |  | 120 | 120 | 1 | 1 | 3 | 3 | 1 | 195.4  |
| 83 | CRCS<br>9513     | CRCS Lt.2      |  | 50  | 50  | 1 | 1 | 1 |   | 1 | 85     |
| 84 | CRCS<br>9514     | CRCS Lt.2      |  | 50  | 50  | 1 | 1 | 1 |   | 1 | 85     |